•

CARBOHYDRATE RESEARCH, VOL. 159 (1987)

AUTHOR INDEX

ABDUL-MALIK, M. M., 11 AHMED, H., 137 ANKER, D., 159 ANKER, G., 159 ATTAGHRAI, J., 159

BANERJI, N., 328 BHATTACHARYA, S. B., 328 BRILLOUET, J.-M., 109, 165

Cameron, T. S., 171
Canas-Rodriguez, A., 217
Chatterjee, B. P., 137
Chowdhury, S., 137
Chrastil, J., 154
Chújó, R., 1
Ciunik. Z., 53
Coronel-Borges, L. A., 217
Cyong, J.-C., 275

DALLEY, N. K., 81 DAS, A. K., 328

FISHMAN, M. L., 185 FUJIMOTO, H., 65

GOUX, W. J., 191 GRINDLEY, T. B., 171 GUPTA, P. C., 336 GUPTA, R., 336 GURJAR, M. K., 325

Hamon, M., 149 Hara, K., 65 Hashimoto, H., 65 He, X.-Y., 127 Hennen, W. J., 81 Hindsgaul, O., 315

INOUE, Y., 1 ISHIGAMI, H., 255

Jacquinet, J.-C., 229 Jasińska, J., 53 Jeffrey, G. A., 211 Joseleau, J.-P., 109

KAINUMA, K., 255 KHARE, N., 336 KINI, G. D., 81 KITAHATA, S., 303 KIYOHARA, H., 275 Kuan, F.-H., 1 Kumari, A., 171 Kusuma, S., 171

LONGAS, M. O., 127

MAJUMDER, P. C., 328 MATCHOUTSKY, L., 149 MIKUNI, K., 255 MONMA, M., 255

Nagasawa, K., 263 Nasir-ud-Din, 95

Ohno, N., 293 Okada, S., 303 Ototani, N., 25 Otsuka, Y., 275

PALCIC, M. M., 315 PAULSEN, H., 37 PAWAR, S. M., 325 PENG, Q.-J., 11 PERLIN, A. S., 11 PETRIE, C. R., 81 PICQ, D., 159 POSTAIRE, E., 149 PRADEAU, D., 149 PROGNON, P.,149 PURCEL, J. M., 185

ROBINS, R. K., 81 RUIZ-POVEDA, S. G., 217 RUSSELL, C. S., 127

SATO, K.-I., 65 SCHULTZ, M., 37 SEN, A. K., 328 SRIVASTAVA, O. P., 315 SINAY, P., 229 SINGH, V., 335

UCHIYAMA, H., 263 UNKEFER, C. J., 191

WILSON, B. E., 81

YADOMAE, T., 293 YAMADA, H., 275 YEON, Y., 211 YOSHIMURA, J., 65 YOSHIMURA, Y., 303 YOSIZAWA, Z., 25

CARBOHYDRATE RESEARCH, VOL. 159 (1987)

SUBJECT INDEX

2-Acetamido-2-deoxy-D-glucose, 6-O-substituted residues, transfer of D-galactosyl group by galactosyltransferase to, 315

D-Allononitrile, 2,5-anhydro-5-thio-, synthesis of, 81

2 O-Allyl-p-glucose, Synthesis of some derivatives of, 325

2-Amino-2,4-dideoxy-β-D- and -L-threo-pentopyranoside methyl, resolution of, 159

Amylose in starches or flours, improved colorimetric determination of, 154

2,3-Anhydropyranoses, some derivatives of, nuclear magnetic resonance spectra of, 11

Anti-complementary arabinogalactan from the roots of Angelica acutiloba Kitagawa, structural characterisation of an, 275

Antitumour β-D-glucan produced by Sclerotinia sclerotiorum IFO 9395, two different conformations of the, 293

Approach towards the isolation and characterization of some polysaccharide components of the protozoan *Leishmania donovani*, 328

Apramycin analogues, synthesis of, 217

Arabinogalactan for the root of Angelica acutiloba Kitagawa, structural characterisation of an anticomplementary, 275

Arabinoglucuronoxylan and larchwood 4-Omethylglucuronoxylan, mode of action of xylanase II from *Polyporus tulipiferae* on oatspelt, 165

D-Arabinose diethyl dithioacetal, 2,4:3,5-di-Obenzylidene-, the crystal structure of, and related molecular-mechanics calculations, 171

Asialoglycophorin A, synthesis of the sequence 43–48 containing two oligosaccharide chains, 37

Assignment of carbonyl resonances in ¹³C-n.m.r. spectra of peracetylated mono- and oligo-saccharides containing D-glucose and D-mannose: an afternative method for structural determination of complex carbohydrates, 191

Carbohydrates, complex, an alternative method for structural determination of, 191

Carbon mono- and di-oxide, detection in sterilized D-glucose solutions of, 149

Chalara Paradoxa, purification by affinity chromatography and chromatofocusing of the glycoamylase components of, 255

Chemical synthesis of methyl 2-acetamido-2deoxy-3-O-(\alpha-1-idopyranosyluronic acid)-4-O- sulfo-β-D-galactopyranoside disodium salt and its non-sulfated analogue, 229

L-chiro-Inositol, the crystal structure of, 211

C.p.-m.a.s. ¹³C-n.m.r. study of some solid-state inclusion complexes of cyclomalto-oligosaccharides with para-substituted benzenes, 1

Crystal structure of 2,4:3,5-di-O-benzylidene-Darabinose diethyl dithioacetal, and related molecular-mechanics calculations, 171

Crystal structure of L-chiro inositol, 211

Cyclomalto-oligosaccharides, 6-O-α-maltosylformation of, from α-maltosyl fluoride and cyclomalto-oligosaccharides, by pullulanase, 303

Dermatan sulfate disaccharide and its nonsulfated analogue chemical synthesis of a, 229

Dermatan sulfate in aging human skin, 127

Dermatan sulfate, pig-skin, distribution of pglucuronic acid units within the chain of, 263

Derivatives of 2-O-allyl-D-glucose, synthesis of some, 325

Dissociation of dissolved pectins: Fourier-transform infrared spectroscopy, 185

Flavobacterium heparinum with heparin and chondroitin sulfate, preparation of phenyl 4-deoxy-α- and β-L-threo-hex-4-enopyranosid-uronic acids and determination of the anomeric specificity of the Δ4,5-glycosiduronase induced from 25

Formation of 6-O-α-maltosylcyclomalto-oligosaccharides from α-maltosyl fluoride and cyclomalto-oligosaccharides by pullulanase, 303

D-Galactosyl group, transfer by galactosyltransferase to 6-O-substituted 2-acetamido-2deoxy-D-glucose residue, 315

Galactosyltransferase, transfer of D-galactosyl group to two 6-O-substituted 2-acetamido-2deoxy-D-glucose residue by, 315

Glucoamylase components of Chalara paradoxa, purification by affinity chromatography and chromatofocusing of the, 255

β-D-Glucan produced by Sclerotinia sclerotiorum IFO 9395, two different conformations of the antitumour, 293

D-Glucose and D-mannose, peracetylated monoand oligo-saccharides containing, the assignment of carbonyl resonances in ¹³C-n.m.r. spectra of, 191

- D-Glucuronic acid units, distribution within the chain of pig-skin dermatan sulfate of, 263
- D-Glucose solutions, detection of carbon monoand di-oxide in sterilized, 149
- Glycophorin A, asialo-, synthesis of the sequence 43–48 containing two oligosaccharide chains of, 37
- Glycoprotein of bonnet-monkey (Macaca radiata) cervical mucus, structure of acidic oligosaccharides isolated from pronase-treated, 95
- Δ4,5-Glycosiduronase induced from Flavobacterium heparinum with heparin and chondroitin sulfate, preparation of phenyl 4-deoxy-α- and β-L-threo-hex-4-enopyranosiduronic acids and determination of the anomeric specificity of the. 25
- Glycosyl cyanides, improved and large-scale synthesis of certain, 81
- Heteroxylan from the outer pericarp (beeswing bran) of wheat kernel, investigation of the structure of a, 109
- Hexapeptide sequence 43-48 of glycophorin A containing two oligosaccharide chains, synthesis of, 37
- Hexopyranoside and methyl 2,2¹-anhydro-3-C-[(S)-1,2-dihydroxyethyl]-α-D-glucopyranoside derivatives, synthesis of methyl 4-deoxy-3-C-[(S)-1,2-dihydroxyethyl]-α-D-xylo-, 65
- Hyaluronic acid in aging human skin, 127
- Improved colorimetric determination of amylose in starches or flours, 154
- Improved and large-scale synthesis of certain glycosyl cyanides. Synthesis of 2,5-anhydro-5thio-p-allononitrile, 81
- Inclusion complexes of cyclomalto-oligosaccharides with para-substituted benzenes, a c.p.m.a.s. ¹³C-n.m.r. study of some solid-state, 1
- m.a.s. ¹³C-n.m.r. study of some solid-state, 1 Infrared spectroscopy, Fourier-transform, for study of dissociation of dissolved pectins, 185
- Investigation of the structure of a heteroxylan from the outer pericarp (beeswing bran) of wheat kernel, 109
- Lectin, an α-D-galactosyl-binding, from Artocarpus lakoocha seeds, purification and characterization of, 137
- Methyl 2-acetamido-2-deoxy-3-O-(α-L-idopyranosyluronic acid)-4-O-sulfo-β-D-galactopyranoside disodium salt and its non-sulfated analogue, chemical synthesis of, 229
- Methyl 4-deoxy-3-C-[(S)-1,2-dihydroxyethyl]-α-D-xylo-hexopyranoside and methyl 2,21-anhydro-3-C-[(S)-1,2-dihydroxyethyl]-α-D-glu-copyranoside derivatives, synthesis of, 65

- O-Methyl S-(3,4,6-tri-O-acetyl-2-deoxy-α-D-arabino-hexopyranosyl)-(R)-dithiophosphate ion, synthesis of, and the X-ray crystal structure of the dipropylammonium salt, 53
- Mode of action of xylanase II from Polyporus tulipiferae on oat-spelt arabinoglucuronoxylan and larchwood 4-O-methylglucoronoxylan, 165
- Neutral seed-gum from Cassia renigera, 336
- ¹³C-N.m.r. study of some solid-state inclusion complexes of cyclomalto-oligosaccharides with para-substituted benzenes, a c.p.-m.a.s., 1
- Nuclear magnetic resonance spectra of some 2,3anhydropyranose derivatives, 11
- Oligosaccharides isolated from pronase-treated glycoprotein of bonnet-monkey (Macaca radiata) cervical mucus, structure of acidic, 95
- Pectins, dissolved, dissociation of, studied by Fourier-transform infrared spectroscopy, 185
- β-D- and L-Pentopyranoside, methyl 2-amino-2,4dideoxy-, resolution of, 159
- Phenyl 4-deoxy-α- and β-L-threo-hex-4-enopyranosiduronic acids and determination of the anomeric specificity of the Δ4,5-glycosiduronase induced from Flavobacterium heparinum with heparin and chondroitin sulfate, preparation of, 25
- Pig-skin dermatan sulfate, distribution of Dglucuronic acid units within the chain of, 263
- Polysaccharide components of the protozoan Leishmania donovani, an approach towards the isolation and characterization of some, 328
- Purification and characterization of an α -D-galactosyl-binding lectin from *Autocarpus lakoocha* seeds, 137
- Purification of the glucoamylase components of Chalara paradoxa by affinity chromatography and chromatofocusing, 255
- Resolution of methyl 2-amino-2,4-dideoxy-β-Dand -L-threo-pentopyranoside, 159
- Seed-gum, a neutral, from Cassia renigera, 336
- Skin, human, dermatan sulfate and hyaluronic acid in, 127
- Sterilized p-glucose solutions, detection of carbon mono- and di-oxide in, 149
- Structural characterisation of an anti-complementary arabinogalactan from the roots of *Angelica* acutiloba Kitagawa, 275
- Structure of acidic oligosaccharides isolated from pronase-treated glycoprotein of bonnet-monkey (Monkey radiata) cervical mucus, 95
- Synthesis of apramycin analogues, 217 Synthesis of methyl 4-deoxy-3-C-[(S)-1,2-di-

- hydroxyethyl]-\(\alpha\)-\(\begin{align*} -\rho\)-xylo-hexopyranoside and methyl 2,2\(^1\)-anhydro-3-C-\([(S)\)-1,2-dihydroxyethyl\(^1\)-\(\alpha\)-p-glucopyranoside derivatives, 65
- Synthesis of O-methyl S-(3,4,6-tri-O-acetyl-2deoxy-α-D-arabino-hexopyranosyl) (R)-dithiophosphate ion and the X-ray crystal structure of the dipropylammonium salt, 53
- Synthesis of some derivatives of 2-O-allyl-D-glu-cose, 325
- Two-different conformations of the antitumour β-D-glucan produced by Sclerotinia sclerotiorum IFO 9395, 293
- Wheat kernel, investigation of the structure of a heteroxylan from the outer pericarp (beeswing bran) of, 109
- X-Ray crystal structure and synthesis of dipropylammonium O-methyl S-(3,4,6-tri-O-acetyl-2deoxy-a-D-arabino-hexopyranosyl) (R)-dithiophosphate, 53
- Xylanase II from *Polyporus tulipiferae* on oatspelt arabinoglucoronoxylan and larchwood 4-O-methylglucuronoxylan, mode of action of, 165

